

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



syngenta®

ACTIVE CONSTITUENT: 700 g/kg OXABETRINIL

For application to Sorghum Seed as a seed treatment to protect it from the phytotoxic effects of Dual® Gold Herbicide and Primextra Gold® Herbicide

Syngenta Crop Protection Pty Limited
Level 1, 2-4 Lyonpark Road, Macquarie Park NSW 2113

In a transport emergency dial 000, Police or Fire Brigade
For specialist advice in an emergency only, call 1800 033 111 (24 hours)

APVMA Approval No: 41351/51388

TM

DIRECTIONS FOR USE

Crop	Action	Rate	Critical Comments
Sorghum	Protects planted crop from injury when Dual Gold and Primextra Gold are applied at recommended label rates.	36 g of CONCEP II/ 20 kg of seed	Commercial Seed Treatment Mix CONCEP II with water to form a smooth slurry and cover seed uniformly with the slurry using a blender, tumbler or other seed dressing equipment. Individual Bag Treatment Place bag (20 kg) of sorghum seed into cement mixer. Whilst rotating add 250 mL of water to moisten the seed. Then sprinkle 36 g of CONCEP II onto moist seed and continue rotation for 1 to 2 minutes or until adequate coating is observed. DO NOT store treated seed for more than 18 months.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

The product is used as a seed treatment to protect grain or forage sorghum from the phytotoxic effects of metalochlor herbicides. Protects planted crop from injury when Dual Gold and/or Primextra Gold are applied at recommended rates.

Use of Carried Over Seed

Treated seed must be clearly labelled "CONCEP II treated for Dual Gold Herbicide and Primextra Gold Herbicide pre-emergent weed control" and carry the warning "DO NOT FEED TO ANIMALS". It should also carry the statement "DO NOT SOW SEED AFTER (date equivalent to treatment plus 18 months)".

PRECAUTIONS

DO NOT use treated seed for animal or human consumption.

DO NOT allow treated seed to contaminate grain/other seed intended for animal or human consumption.

DO NOT feed treated seed, or otherwise expose, to wild or domestic birds.

PROTECTION OF LIVESTOCK

DO NOT feed treated grain to animals, including poultry.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area, out of direct sunlight. Keep out of reach of children. Rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. Puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin and inhaling dust. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126

MATERIAL SAFETY DATA SHEET

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy phone 1800 067 108 or visit our website at www.syngenta.com.au

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Syngenta has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Syngenta accepts no liability for any loss or damage arising from incorrect storage, handling or use.

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

