

## Consistent Silage Analysis™



Livestock producers require corn hybrids with proven performance to meet the nutritional needs of dairy and beef operations. To help livestock producers, Syngenta Agronomy Research developed a unique methodology to analyze hybrids called Consistent Silage Analysis. A combination of replicated research plots and on-farm strip trials identifies corn silage hybrids meeting producers' needs for yield, quality, and consistency. Hybrid evaluations occur across geographically diverse environments using locally accepted silage production practices. Silage is sampled and analyzed using the Consistent Silage Analysis method and evaluated for quality over multiple locations and years. Corn hybrids consistently demonstrating high quality and high yields in these trials earn the Consistent Silage™ designation.

## Factors Affecting Silage Yield and Quality

### Optimum Hybrid Selection

- Select hybrids well-adapted for the geographic region using local performance data whenever possible.
- Select hybrids best fitting specific needs for yield and quality (see chart on reverse) as well as dual-purpose utilization, target harvest date, etc.

### Management Practices

- Plant early to optimize crop utilization of water, nutrients, and sunlight.
- Plant at populations equal to or up to 10% greater than corn for grain.
- Soil nutrient removal for potassium and phosphorus will be higher for silage than for grain production.
- Target a whole-plant moisture content of 60-70% at harvest, depending on ensiling method, with higher moistures best suited for storage in a bunker or pile.



### Maximizing Quality and Yield

- Agronomy Up Front data shows that Quilt Xcel™ fungicide applied to corn at green silk significantly improves silage yield and quality (see table 1).
- Quilt Xcel application increased silage tons 3.9%.
- Quilt Xcel application also increased milk and beef pounds per ton of silage by 2.4% and 5.9% respectively.
- Improved tonnage and silage quality resulted in a 6.4% increase in milk per acre and 1.5% increase in beef per acre.
- Fields used in this study had little to almost no disease pressure at application, showing how Quilt Xcel fungicide provides Plant Performance™ benefits beyond disease protection.

**Table 1. Influence of Quilt Xcel Fungicide on Silage Yield and Quality (2009-10)\***

	Yield @ 70% Mst (ton/A)	Milk (lbs/ton)	Milk (lbs/A)	Beef (lbs/ton)	Beef (lbs/A)
Quilt Xcel Treated	34.4	3,374	34,822	241.3	2,490
Untreated	33.1	3,296	32,720	237.8	2,361
Quilt Xcel Increase	1.3	78	2102	3.5	130
<i>LSD (0.10)</i>	0.5	41	674	1.7	41
% Quilt Xcel Increase	3.9%	2.4%	6.4%	5.9%	1.5%

\* Replicated trials conducted at three Syngenta research locations in 2009 and 2010. Milk and beef production estimates were generated from University of Wisconsin equations that used digestibility values based on NIR and in-vitro digestibility analysis of samples from Syngenta silage trials.



**GoldenHarvest®**

**syngenta**

# Corn Silage Hybrid Selection – 2011

The following table provides silage quality and yield scores for select Golden Harvest® brand hybrids based on actual tonnage and silage analysis values. Scores represent relative differences among hybrids of a similar maturity.

Golden Harvest Brand Corn Silage Hybrid Selection Guide												
Hybrid Series	RM	Yield (Ton/A)	CP (% of DM)	NDF Dig. 48 hr (%)	Starch (% of DM)	TDN (% of DM)	NEL (Mcal/lb)	Milk (lbs/Ton)	Milk (lbs/A)	Beef (lbs/Ton)	Beef (lbs/A)	Consistent Silage
H-6108	83	●	●	●	●	●	●	●	▼	●	▼	
H-6186	83	●	●	●	★	▼	▼	▼	▼	▼	▼	
H-6222	85	●	●	★	●	●	●	●	●	●	●	
H-6233	85	★	▼	●	★	●	●	●	●	●	●	
H-6314	86	●	●	●	●	●	●	●	●	●	●	
H-6276	88	●	▼	●	★	▼	▼	▼	▼	▼	▼	
H-6467	88	●	●	●	★	▼	●	●	●	●	●	✓
H-6455	90	▼	▼	●	●	★	★	★	●	★	●	✓
H-6629	92	●	▼	●	●	★	★	★	★	★	★	✓
H-6724	93	●	▼	●	●	★	★	★	●	★	●	✓
H-6816	94	★	●	●	★	★	★	★	★	★	★	
H-7044	96	★	●	★	▼	★	★	★	★	★	★	✓
H-7105	96	●	●	★	●	●	●	●	●	●	●	
H-7122	97	●	★	●	●	★	★	★	●	★	●	✓
H-7227	97	●	★	▼	▼	●	●	●	★	●	●	
H-7254	97	▼	★	▼	★	●	●	●	✘	●	✘	
H-7151	98	✘	▼	●	★	★	★	★	✘	★	✘	
H-7143	99	●	●	●	★	●	▼	▼	●	●	●	
H-7439	100	▼	●	▼	★	●	★	★	●	●	▼	
H-7647	101	●	▼	●	★	▼	▼	▼	●	▼	●	
H-7818	102	●	★	★	★	★	★	★	●	★	●	
H-7807	103	●	●	●	●	★	★	★	★	★	★	✓
H-7891	103	★	●	★	●	●	●	●	★	●	★	✓
H-7949	103	●	✘	●	●	●	●	●	●	●	●	
H-8061	104	★	▼	●	▼	●	●	●	●	●	★	✓
H-8211	105	●	✘	●	★	▼	●	●	●	▼	▼	✓
H-8239	105	●	★	★	★	★	★	★	●	★	●	✓
H-8265	106	●	●	●	●	●	●	●	●	●	●	✓
H-8577	107	●	▼	●	★	★	●	●	●	★	●	
H-8672	109	●	●	●	●	●	●	●	●	●	●	✓
H-8864	110	▼	▼	●	●	●	▼	▼	✘	▼	✘	
H-8969	111	●	★	●	▼	●	●	★	▼	●	●	✓
H-8952	112	★	●	●	▼	★	★	★	★	●	★	✓
H-9002	112	●	●	●	●	●	●	●	●	●	●	
H-9030	112	●	▼	●	▼	●	●	●	●	●	●	
H-9055	112	▼	●	●	★	●	●	●	●	●	●	
H-9084	112	●	✘	●	▼	●	●	●	●	▼	●	
H-9014	113	▼	●	▼	★	▼	●	▼	▼	▼	▼	
H-9118	113	▼	●	●	●	●	●	●	▼	●	▼	
H-9167	113	★	●	●	★	●	●	●	●	●	★	✓
H-9173	113	●	●	▼	●	●	●	●	▼	●	▼	
H-9253	113	▼	●	●	★	●	●	●	▼	●	▼	
H-9127	114	★	●	●	●	●	●	●	★	●	★	✓
H-9138	114	▼	●	●	●	★	★	★	●	★	●	✓
H-9416	114	●	▼	▼	●	★	★	★	●	★	●	✓
H-9377	115	★	▼	★	●	●	●	●	●	●	●	✓
H-9447	115	●	★	●	★	●	●	●	●	●	●	
H-9574	116	●	●	●	●	●	★	★	●	●	●	✓
H-9690	118	▼	●	●	✘	●	●	●	▼	●	▼	

## Using This Chart

**Yield**  
Calculated on a per acre basis and adjusted to standard moisture.

**Crude Protein (CP)**  
Indicates the percent content of this important feed component relative to other hybrids.

**Neutral Detergent Fiber Digestibility 48 Hour (NDF Dig. 48hr)** Estimates the ruminant digestibility of the NDF fraction.

**Starch** Indicates the percent content of this important feed component.

**Total Digestible Nutrients (TDN)** Describes the energy content of feeds as the sum of the digestibility of different nutrients.

**Net Energy Lactation (NEL)** Represents net energy for lactating cows based on acid detergent fiber (ADF).

**Milk and Beef Production per Ton and Acre** Feed quality on a per ton basis, and combination of yield and quality on a per acre basis.

## Ratings Key

★ Greatest opportunity to maximize performance and/or trait content relative to other hybrids in maturity group.

● Performs well and/or has very good trait content relative to other hybrids in maturity group.

▼ Performance and/or trait content is lower relative to other hybrids in maturity group.

✘ Performance and/or trait content is below desired levels relative to other hybrids in maturity group.

✓ for Consistent Silage indicates hybrid has the greatest potential for consistent yield and high quality.

NOTE: Hybrid characteristics such as staygreen and drought stress tolerance are also important to consider when selecting hybrids for silage production; check the characteristics chart in Seed Guide for scores. Digestibility ratings are based on NIR and in-vitro digestibility analysis. Milk performance estimates generated from University of Wisconsin equations. Comparisons should only be made among hybrids within a maturity group. Although actual silage yield and quality analysis of a hybrid will vary with environment, the relative ranking of a hybrid will be similar. Ratings are a relative performance guide. Conduct a laboratory test to determine actual silage quality when balancing a feed ration.

For more information, contact your Golden Harvest Dealer or call 1-800-944-7333 (9GH-SEED). Visit us at [www.goldenharvestseeds.com](http://www.goldenharvestseeds.com).



This bulletin was developed by Golden Harvest Agronomy Up Front Research. Golden Harvest Agronomy Up Front Research studies and evaluates environmental and cultural practices that impact yield in both corn and soybean production to provide answers to the critical issues facing growers. In 2010, 27 research trials were conducted at 10 Golden Harvest Agronomy Up Front Research locations.